

Oceanis 43

Inventory list







1 forward cabin - 1 Toilet, 1 AFT cabin - 1 Toilet



1 forward cabin - 1 Toilet, 2 Aft cabins - 1 Toilet

GENERAL SPECIFICATIONS_

| • L.O.A | 13,10 m | 42'12" |
|---|------------------|------------------|
| Hull length | 12,75 m | 41'10" |
| • L.W.L. | 11,60 m | 38'1" |
| Beam | 4,12 m | 13'6" |
| Deep draught (min) | 2,00 m | 6'7" |
| Shallow draught (min) | 1,65 m | 5'5" |
| Air draught (max) | 18,30 m | 60' |
| Light displacement | 8 875 kg | 19,561 lbs |
| Fuel capacity | 200 I | 53 US Gal |
| Freshwater capacity | 360 I | 95 US Gal |
| Engine power | 54 HP Sail Drive | 54 HP Sail Drive |
| | | |

ARCHITECT / DESIGNERS

- Naval Architect: Berret Racoupeau Yacht Design
- Interior design: Nauta Design

EC CERTIFICATE

- Category A 10 persons
 Category B 11 persons
 Category C 12 persons

STANDARD SAIL LAYOUT AND AREA_

| Mainsail (classic) | 39,00 m ² | 419.80 ft ² |
|--|----------------------|------------------------|
| Genoa (140 %) | 43,50 m ² | 468.23 ft ² |
| Asymmetric spinnaker | 116 m² | 1,248.61 ft² |
| • 1 | 15,77 m | 51'9" |
| • J | 4,67 m | 15'4" |
| • P | 14,46 m | 47'5" |
| • E | 4,80 m | 15'9" |



Oceanis 43

Inventory list

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- · Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- · Deck hull join borded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White coloured hull Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck,
 2 levels of advanced cross trees
- Anodised aluminium boom
- · Discontinuous stainless steel standing rigging
- · 2 Backstays with turnbuckles
- · Rigid kicking strap with tackle
- Genoa furling system with drum on the deck
- Mainsail sheet track
- 2 genoa tracks with piston adjusted traveller cars 2 Genoa sheet return blocks
- · Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 8 Jammers
- · 6 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 2 Self tailing coachroof winches (H40.2 STC)
- 2 Winch handles aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- · Semi full batten written sail with slider and roller slider
- Lazy Jack and Easy bag in Perle colour

MOORING -ANCHORING

- Self-bailing chain locker Clench bolt Hatch cover
- Single roller stainless steel bow fitting with offset roller
- 12 V 1000 W Vertical electrical windlass Remote control
- 6 Aluminium mooring cleats Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions Opening to port and to starboard in guardrail

COCKPIT

- Self-draining cockpit
- 2 Cockpit locker
- 1 Lockers under helm seat To starboard
- 1 Wet locker between tiller seats
- 1 Gas locker with 2 bottles under port tiller seat
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels 900 mm / 2'11" diameter leather covered rudder systems on partition metal cable transmission system Stainless steel handrail navigation instrument stand (optional instruments)
- 1 Deck hole for access to tiller system
- 1 Tiller

- 2 Steering compass on binaccle
- · Engine throttle and control panel to starboard
- Polyester cockpit table 2 flaps glove boxes central bottle holder bottle holder on reverse side - Stainless steel handrail - 12 V socket - lamp with shade
- 2 Companionway door on solid wood hinges Sliding hatch made of PMMA

AFT TRANSOM

- · Vertical opening access door assisted by gas piston
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern 2 doors
- 1 Stainless steel swimming ladder solid wood steps
- · 1 Shower cold water
- 1 Shore power socket

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Cloth hull spar ceilings in saloon and cabins
- Fabric upholstery

COMPANIONWAY

- Headroom: 2,03 m / 6'8"
- Wooden saloon companionway with moulded wood hanging steps with non-slip surface
- 2 Stainless steel handrails

FORWARD CABIN

- Headroom: 1,95 m / 6'5"
- Central double bed (2,10 m 0,60 x 1,93 m / 6'11" 1'12" x 6'4") Marine mattress
- 1 Portside seating
- Hanging locker Cupboard glove boxes Cubby hole lockers Storage drawer
- 2 Opening hatches with blind / Mosquito net
- 2 Hull portholes with curtain

FORE WASHROOM

- Headroom: 1,95 m / 6'5"
- · Access through foward cabin
- Washroom moulded in one piece to be watertight
- Separate shower shower mixer tap hot / cold water
- Manual marine toilet
- Washbasin Mixing tap hot water / cold water
- 1 Mirror
- Toilet accessories: Glass holder Soap tray Towel rail Bin Paper dispenser
- Cupboards and cubbyholes
- 1 Opening deck hatch with shutter / Mosquito net

Version 1 Forward cabin - 1 Toilet, 1 Aft cabin- 1 Toilet

SALOON

- Headroom: 2,00 m / 6'7"
- U shaped saloon bench double density foam
- Saloon table in only 1 piece Varnished wood top with inlay Aluminium legs
- 2 seater bench to port
- 4 Matching decorative cushions
- 1 Stainless steel handrail on aft washroom partition
- Cupboards Cubby hole lockers and storage along the hull Storage under bench seats
- Cubbyhole with stainless steel beading
- 2 Panoramic deck house windows with concertina blinds
- 2 Hull portholes with curtain
- 2 fixed deckhouse side windows with pleated blinds
- 2 Opening portholes on coaming in side windows
- 1 Opening deck hatch with shutter / Mosquito net

CHART TABLE TO PORT

- In the opposite direction to sailing
- Table with flap Glove box Shelf- Moulded wood beading
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
 1 White light fitting / Red



Oceanis 4

Inventory list

GALLEY TO PORT

- Headroom: 2.00 m / 6'7"
- U-shaped kitchen
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins 1 Mixer tap cold water / hot under pressure
- 1 Gas cooker 2 hobs Stainless steel oven on mountings Stainless steel protection handrail
- 1 Cool box 70 I, top opening
- 1 Fridge 130 I front opening
- Fitted cupboards and closed cubbyholes (Shelf Bin tea towel holder)
- 1 cutlery drawer
- 1 Porthole opening onto coamimg in side window
- 1 Opening porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,95 m / 6'5"
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower 1 shower mixer tap hot / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80 L / 21 US Gal
- Wooden handrail 1 shower mixer tap hot / cold water
- Toilet accessories: Glass holder Towel rail Bin Paper dispenser
- Cupboard and closed cubbyholes
- 1 Porthole opening onto coamimg in side window

AFT CABIN

- Headroom: 1.95 m / 6'5"
- 1 Double bed (2,00 x 1,50 m / 6'7" x 4'11") Marine mattress
- Access door to starboard aft washroom
- Cupboards Hanging locker Closed cubbyholes
- 1 Bench seat Bed access sideboard
- 1 Hull porthole with curtain
- 1 Opening porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

Version 1 Forward cabin - 1 Toilet, 2 Aft cabins- 1 Toilet

GALLEY TO PORT

- Headroom: 2,00 m / 6'7"
- Kitchen along the hull
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins Stainless steel 1 Mixer tap cold water / hot under pressure
- 1 Gas cooker 2 hobs stainless steel oven, on mountings 1 Stainless steel protection handrail
- 1 Cool box 170 I, top opening 12 V Refrigeration unit
- Fitted cupboards and closed cubbyholes (Shelf Bin tea towel holder)
- 1 cutlery drawer
- Cubbyhole with stainless steel beading
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coamimg in side window

CHART TABLE TO PORT

- Table with flap Glove box Storage Shelf- Moulded wood beading
- Helmsman seat with cushion Storage behind seat back
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- White light fitting / Red
- 1 Porthole opening onto coamimg in side window

SALOON TO STARBOARD

- Headroom: 2,00 m / 6'7'
- L-shaped saloon bench seat double density foam
- 1 Seating / Removable locker
- Central bench seat with storage locker on pantograph
- 4 Matching decorative cushions
- Saloon table in only 1 piece Varnished wooden top veneering Aluminium
- Cupboards Cubby hole lockers Storage space along the hull Storage under bench seats

- · Cubbyhole with stainless steel beading
- 2 Panoramic deck house windows with concertina blinds
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- · 1 Porthole opening onto coamimg in side window
- 1 Opening deck hatch with shutter / Mosquito net

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,95 m / 6'5"
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower 1 shower mixer tap hot / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80 L / 21 US Gal
- Wooden handrail 1 shower mixer tap hot / cold water
- Toilet accessories: Glass holder Towel rail Bin Paper dispenser
- Cupboard and closed cubbyholes
- · 1 Porthole opening onto coamimg in side window

AFT CABINS PORT AND STARBOARD

- 2 Symmetrical cabins each one consisting of:
- Headroom: 1,95 m / 6'5"
- Double bed (2,03 m 1,38 x 1,56 m / 6'8" 4'6" x 5'1") Marine mattress
- Cupboard Hanging locker Closed cubbyholes
- 1 Hull porthole with curtain
- 1 Opening porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

ENGINE

- Engine Yanmar Diesel 54 hp/HP Sail Drive
- Engine control Control panel in cockpit
- Engine compartment: Foam soundproofing Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 200 L / 53 US Gal (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water Diesel Decanter
- · Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) -2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit 220 V circuit
- 1 service batteries (140 Ah) 1 Engine battery (110 Ah)
- 1 25 Ah Battery charger 1 220V shore power 1 Charge divider
 12 V / 220 V Electrical panel (Circuit breakers Voltmeter Water gauge -Fuel gauge - Battery warning - Fuel warning - Water warning) 1 12 V Sockets - 5 220 V Sockets
- Lighting: Overhead lights: Lights LED Reading lights White/red light fitting - Fluorescent lamp White
- Navigation lights: 1 Forward and aft navigation lights 1 Engine navigation light / Crosstree light forward of mast - 1 Mooring light on masthead
- · Wire runs for options cables

PLUMBING

- 2 Roto moulded freshwater tanks (200 I / 53 US Gal Starboard aft cabin -160 I / 42 US Gal Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with 1/4 by-pass valves
- · Pressurised electric water pump Accumulator tank Inline filter
- 25 L / 7 US Gal Electric water heater (Operation off engine or on 220 V electrical system)
- 1 Rigid holding tank 80 L / 21 US Gal
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump 1 Manual bilge pump • 1 Electric ice box drain pump
- **GAS** • 2 Gas bottle boxes in the cockpit
- · Pressure reducing valve and safety tap

ceanis 4

Inventory list

TRIM LEVEL

| | AVANTAGE | ELEGANCE |
|---|----------|----------|
| 2 Displays (colors) TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Windvane - Anenometer) | • | • |
| Cockpit shower spray hot / cold water | • | • |
| PMMA shower partition in forward washroom | • | • |
| PMMA shower partition in aft washroom | • | • |
| Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers | • | • |
| Indirect lighting in saloon | • | • |
| LED: Navigation lights - Interior lighting | | • |
| 40 Amp battery charger instead of 25 Amp charger | • | • |
| 1 140 amperes additional service batterie | • | • |
| Releasable fore-stay chain-plate | | • |
| 1 Port electric coachroof winch H40.2STCEH | | • |
| Slatted solid natural wood cockpit sole | | • |
| Polyester/wood cockpit table - White PVC protective cover | | • |
| Leather covering on companionway and aft toilet closet partition handrails | | |
| Mirror on forward partition of fore cabin | | |
| 12 V refrigeration unit in 70 L icebox (2 cabin version) | | • |
| Sea water foot pump | | • |
| Stainless steel 2 hob oven/grill cooker on deluxe mounting | | • |

OPTIONS

PACKS

ELECTRONIC PACK RAYMARINE

- PC interface
- Swivel base on reverse side of table Cockpit
- Multifunction screen C90W colour 9" (GPS Chart plotter Cartography Navionics Silver Europe included Chart reader supplied without chart)

PACK EASY DOCKING

- Bow thruster
- Bow roller additional
- White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor FOB 20 kg / 44 lbs, 32 m/ 104 12" of 10 mm/ 3 / $_8$ " chain, 48 m / 157 6" 18 mm / 11 / $_{16}$ " rope) 4 Mooring ropes 6 Fenders

OTHER OPTIONS

- Tactile RAYMARINE E90W multifunction screen in cockpit to replace the C90W screen from the Pack Electronic
- Pilot RAYMARINE ST 70 (Integrated gyrocompass)
 Receiver AIS 500 RAYMARINE (Transmitter Receiver)
 Autopilot remote control Smartcontroller RAYMARINE
- Radar radome only RAYMARINE
- VHF RAYMARINE 49E

- · Steel blue colour hull Hull decorated in pearl grey
- · Anodized mast furling with sail
- Windex
- 2 flag halyards
- Asymmetric spinnaker
- · Asymmetric spinnaker rigging and boom
- Easy Sail (Genoa traveller adjustment from cockpit Clutches on genoa sheet blocks - Backstay adjustments - Winch handle Harken Speedgrip -Winch handle box additional)
- 3 retractable blades propeller
- · Solid wood slatted catwalks Plain
- · Perle coachroof sprayhood
- Perle Cockpit Bimini
- PVC cockpit cushions
- · Additional seating in saloon (2 cabin version)
- Double berth in saloon
- Swivel foldaway saloon table
- Porthole mosquito nets
- Heating
- Microwave oven
- TV LED 22'+ Player DVD CD MP3
- TV Antenna
- Additional rigid sewage tank (50 l)
- Quiet Flush electric toilet
- · Fabric upholstery