



ISLAND PACKET®350

Specification and Price List

ISLAND PACKET® 350

STANDARD SPECIFICATIONS & EQUIPMENT YACHT CONSTRUCTION, (© CERTIFIED CATEGORY A – OCEAN

★ Rig / Sails / Hardware

- ★ Sails: Roller furling main for standard in-mast system, 130% roller furling genoa, roller furling staysail high modulus Dacron
- ★ Genoa & staysail sun panels in choice of Sunbrella® colors
- ★ Genoa gear, including tracks, blocks, sheets and Harken® furling system
- ★ Staysail gear including blocks, halyard, sheet, Harken® furling system and Hoyt self vanging boom
- ★ Jib halyard winch on mast, Lewmar® 16C 2-speed
- ★ Mainsail gear, including halyard on mast led to Lewmar 16C winch; main sheet traveler w/4:1 control system led to cockpit; roller furling lines, sheet, and spare main halyard led to cockpit through stoppers to Lewmar 30CST winches
- ★ Spare main halyard (on roller bearing masthead sheave) led to cockpit through stopper to Lewmar® 30 CST winch
- ★ All halyards internal; color coded running rigging, convenient coaming storage bins for lines
- ★ Boom vang
- ★ Winch handle -10" lock-in chrome Lewmar "PowerGrip®"
- ★ Jib sheet winches (2) Lewmar® 40 CST 2-speed
- ★ Mid-boom sheeting for unobstructed cockpit & dodger installations
- ★ Wheel steering console mounted Whitlock "Premier XL" rack & pinion direct system w/"Monarch" style hood for electronics installations, wheel brake, stainless steel wheel. Guard, single lever engine control. Emergency tiller with storage brackets in sail locker
- ★ Compass, Ritchie® with custom Island Packet nav grid
- ★ Welded stainless steel double bow rail & stern rail, stanchions, stern rail with twin seats, stainless steel flag staff & holder
- ★ Double lifelines w/side gates, full length stainless steel cabin top hand rails
- ★ Teak step pads at lifeline gates with reefing line hold down recess
- ★ Hinged padeyes (4) for cockpit harness attachment
- ★ Stern gate w/quick release hook
- ★ Swim ladder stainless steel transom mount w/rubber treads
- ★ Two SeaSafe™ patented stainless steel anchor rollers w/chocks and hinged deck pipes to forepeak
- ★ Four 12" mooring cleats, two 10" spring line cleats, chocks & flush mount stainless steel chafe guards
- ★ Twin backstays for easy stern boarding & unobstructed helm seating
- ★ Topping lift-adjustable
- ★ Keel stepped mast, all anodized spars

★ Interior

- ★ Eleven opening ports w/screens polished stainless steel, safety glass
- ★ Five deck hatches forward cabin, salon, head, aft cabin, galley-Lewmar® (acrylic & aluminum)
- ★ Three deck ventilators (Dorade type) w/screens
- ★ Large forepeak w/louvered access door & overhead deck pipes, light, drain to bilge, Starboard® shelf to direct rode aft; center divider w/ attachment for rodes
- ★ Forward cabin w/privacy doors to salon & head compartment. Large double Pullman berth w/teak shelves outboard, stowage under. Dressing seat, cedar lined hanging locker w/shelf over, bureau w/shelf over. Two opening ports plus overhead hatch, deck vent, varnished teak & holly sole
- ★ Forward head w/shower (electric drain pump), teak trim, curtain on track, large vanity with polished stainless steel sink, teak shower seat, storage cabinets, opening port & an overhead hatch, toothbrush holder w/cup, toilet paper holder, integral recessed lighting
- ★ Main salon w/L-shaped pull-out double settee berth to starboard, single settee berth to port, teak cabinets & book shelves outboard of both settees. Large stowage areas behind & under each settee. Cedar lined hanging locker w/shelf over. Deluxe drop leaf table folds against bulkhead rack (w/bottle stowage) for unobstructed 4' wide varnished teak & holly sole. Large overhead hatch, numerous opening ports, deck vents & overhead handrails
- ★ Navigation station w/table at aft end of port settee, nav light, generous nav/electronics cabinet w/master A-C/D-C electrical panel plus room for owner installed equipment
- ★ Chart stowage drawer beneath starboard settee
- ★ Aft cabin w/privacy door to main cabin. Large athwartship double berth w/teak shelf outboard, integral overhead reading lights, stowage lockers under. Cedar lined hanging locker w/shelf over, bureau w/shelf over, two opening ports plus overhead hatch, varnished teak & holly sole
- ★ Courtesy/night lights with switch by companionway
- ★ All interior cushions of upholstery grade dual density foam covered in premium designer fabric
- ★ Removable teak companionway ladder w/engine access from all sides
- ★ Storage rack for companionway drop boards
- ★ Molded slip resistant cabin sole adjacent to companionway, galley & nav station, w/draining grate in front of ladder. Teak grate lifts out for dust pan, dust pan lifts for bilge sump access with light
- ★ Teak bulkheads, cabinetry, trim select grain w/hand rubbed oil finish
- ★ Teak louvered cabin & locker doors deluxe trim; push button safety latches on locker doors
- ★ Molded fiberglass interior headliner w/textured finish, teak trim
- ★ Teak & holly sole in main salon, forward & aft cabins varnish finish

★ Galley

- ★ Large u-shaped design w/high pressure laminate surfaces, teak sea rails on all edges
- ★ Ice box top loading, injected froth type urethane insulation throughout, lift-out shelf, electric drain pump, inside light w/manual switch
- ★ Gimballed two burner LPG stove w/oven black finish stainless steel deluxe safety type w/sealed burner top, lift off cover w/storage rack below, stainless steel guard rail w/harness hooks. Pot and pan locker under
- ★ Double stainless steel sink with deluxe polished finish, hot & cold pressure water tap, manual pump, retractable spray unit
- ★ Roll-away trash bin, teak paper towel holder & soap rack
- ★ Deluxe teak dish rack & cutlery drawers
- ★ Large storage areas above & below counter, two large drawers beneath icebox, dry storage locker
- ★ Cockpit instrument access cabinet
- ★ Microwave oven 115V A-C

★ Exterior/Construction

- ★ 100% hand laid high modulus fiberglass construction throughout with special gelcoats for durability. All gelcoats applied using premium high volume, low pressure application equipment for exceptional finish quality, reduced airborne emissions
- ★ Island Packet's exclusive PolyClad® 2 hull bottom gelcoat system with 10 year limited warranty for osmotic blisters
- ★ Hull molded in one piece utilizing a proprietary pressure fed application system w/high modulus triaxial glass, unified w/an engineered interior grid structure and molded structural base unit
- ★ Deck laminate cored w/advanced PolyCore® a proprietary microsphere & resin matrix with 10 year limited warranty for rot and delamination (an industry first)
- ★ Exclusive Durashield™ deck, hull topside and interior gelcoat system with superior gloss retention and resistance to fading and crazing
- ★ Deck attached to integrally molded hull flange w/bolts, lock nuts, & urethane adhesive sealant
- ★ Deck hardware thru-bolted w/aluminum backup plates
- ★ Two-tone deck low-glare light ivory with integrally molded light tan slip resistant surface (premium coarse diamond pattern)
- ★ Light ivory hull with matching co-extruded, hi-impact vinyl rubrail, s.s. striker, choice of boot stripe color (urethane finish)
- ★ Teak cap rail w/stainless steel striker, teak cap on bowsprit
- ★ Deluxe helm console with guard/handgrip, compass, single lever engine control, space for dealer/owner installed electronics
- ★ Contoured cockpit seats 7½ feet long, coaming storage boxes and bins, seat hatches with push button latches, locks, and support struts, molded helm seat with teak top, cushion and backrest. Two stern rail seats
- ★ Molded fiberglass sliding companionway hatch w/sea hood, latch inside, exterior hasp and lock
- ★ Integral molded dodger mount on cabin top
- ★ Companionway drop boards of solid teak, center drop board fitted with fixed port with etched logo (safety glass), captive safety lock-in pin with holder, interior storage rack
- ★ All exterior teak treated with Sikkens Cetol® teak finish
- ★ Two 2" cockpit scuppers
- ★ Cockpit ice box foam insulation, hinged lid
- ★ Fresh water cockpit shower/wash down (cold only)
- ★ LPG deck storage bin with 10 lb. aluminum propane tank (plus room for spare), drain overboard

★ Mechanical/Electrical/Plumbing

- ★ 40 HP Yanmar® 3JH3E diesel three cylinder, fresh water cooled, rubber isolation mounts on reinforced fiberglass bed with integral oil drip pan, mechanical fuel pump, fuel filter, Balmar® 110 amp twin fan alternator with digital echo-charger, 3 blade prop
- ★ Racor® fuel filter with water separator, jacketed fuel lines w/swedged ends, auxiliary electric fuel pump w/momentary switch for servicing
- ★ Extensive sound control in engine compartment with premium lead lined foam insulation
- ★ Engine and head intake strainer bronze
- ★ Recessed cockpit instrument panel w/electric tachometer, engine monitoring gauges & warning system, hourmeter removable acrylic cover. Additional recess with cover for owner/dealer installed equipment
- ★ Single lever engine control mounted on pedestal
- ★ 3 premium AGM (absorbed glass mat) sealed 12 volt house batteries, 1 premium AGM dedicated engine start battery (all Group 27) w/momentary parallel switch at engine control to house bank for emergency starting. Stainless steel hold down bar
- ★ Deluxe electric panels w/battery switch, circuit breakers for D-C & A-C systems, D-C & A-C gauges, battery test system, reverse polarity protection, indicator lights, elec. pump controls, LPG control, battery charger control
- ★ A-C 30 amp dockside power system w/inlet breaker, polarity protection, 50' shore power cord, numerous interior outlets w/GFCI protection, interior breaker, galvanic isolator
- ★ Marine converter/battery charger Charles® 5000 series 30 amp, UL approved, temperature compensating, three step electronic charger
- ★ Numerous 12V interior lamps and (3) courtesy lamps with rocker switch at companionway; dome lights in cockpit lockers, forepeak, ice box, bilge
- ★ Water heater 6 gallon marine type w/engine heat exchanger & A-C operation, UL approved, foam jacketed hoses
- ★ Pressure water system w/hot & cold water tap in galley & head, shower in head, cockpit (cold only)
- ★ Manual water pump in galley
- ★ LPG stove system w/10 lb. aluminum tank (in draining deck storage well), remote solenoid safety shutoff, gauge
- ★ Marine head (Raritan®), with large seat and bowl, triple walled sanitation hose, direct overboard discharge or bypass valve into holding tank
- ★ 30 gallon (U.S.) welded marine aluminum holding tank w/sealed interior, deck pump out fitting
- ★ 100 gallon (U.S.) welded marine aluminum fresh water tank w/deck fill, tank mounted gauge
- ★ 50 gallon (U.S.) welded marine aluminum fuel tank w/shut off valve, deck fill, tank mounted gauge. Preplumbed for additional pick up/return
- ★ Fuel, water and holding tankage below cabin sole maximizing storage space & minimizing trim changes
- ★ Deck fittings for water, fuel, waste stainless steel w/deck key
- ★ Electric bilge pump w/auto switch, premium Ultimate® magnetic reed float switch
- ★ Manual bilge pump 1½" hose. Mounted in cockpit near helm
- ★ Shower drain pump electric w/switch
- ★ Ice box drain pump electric w/switch
- ★ UL approved bronze thru-bolted flanged seacocks on all thru-hulls below waterline; ball valves on all thru-hulls in boot stripe
- ★ Electrical D-C grounding system for rig and underwater metals
- ★ UL approved marine, pretinned color coded wiring
- ★ Foredeck light-mast mounted
- ★ Masthead anchor light, nav lights
- ★ Pre-wired: anchor windlass power supply and remote control wires; VHF antenna cable in mast & interior; fan and speaker wires throughout interior; refrigeration wire
- ★ Messenger pre-run for cabin back mounted electronics

PRICE as specified . . . \$217,950

ALL PRICES FOB DEALER, CONTINENTAL USA
EXCLUSIVE "2/10" LIMITED WARRANTY
LAND FREIGHT WITHIN CONTINENTAL U.S. AT NO EXTRA CHARGE



SPECIFICATION AND FACTORY OPTION LIST FOR ISLAND PACKET 350

LOA		Displacement (Approx.) . Ballast	
DEALER/OWNER	/	DATE	
BOOT STRIPE COLOR			
 ✓ Island Packet 350 ✓ Freight to Dealer (continental U.S. only) ✓ PolyClad™2 Extended 10 Year Limited Warranty for osmotic blisters ✓ PolyCore™ Extended 10 Year Limited Warranty for deck core degradation and delamination ✓ Electrical "Cruising Package" Upgrade: Balmar® 110 amp dual fan alternator w/digital echo-charger; three (3) Group 27 AGM sealed house batteries; one (1) Group 27 AGM sealed dedicated engine start battery; 			Retail Price \$217,950 No Charge No Charge No Charge No Charge
momentary parallel swith rewrite for electric wind rewrite for electric wind rewrite r	tch at engine control to dlass -impact vinyl molded in spare halyard ully battened mainsail of - 2" closed cell foam estalled) p w/valves for overboa style cowls (3) with s.s	o house bank for emergency son hull color – w/s.s. striker (in lieu of standard) with Textaline® covers and discharge of holding tank s. guards (in lieu of standard)	starting No Charge No Charge No Charge 695 7,995 595 195 695 995
⊔ Ultraleatner ™ fabric in i	main salon only (in lie	u of standard) DEALER	1,395

ALL SPECIFICATIONS APPROXIMATE. PRICING SUBJECT TO CHANGE WITHOUT NOTICE.