



2 cabins - 2 head compartments



GENERAL SPECIFICATIONS

• Overall Length (L.O.A)	14,12 m	46'4"
• Hull length	13,82 m	45'4"
• L.W.L.	12,92 m	42'5"
• Hull Beam	4,43 m	14'6"
• Deep draft	2,15 m	7'1"
• Deep ballast weight	3 460 kg	7,628 lbs
• Shallow draft	1,86 m	6'1"
• Shallow ballast weight	3 880 kg	8,554 lbs
• Air draft	20,38 m	66'10"
• Light displacement (EC)	12 303 kg	27,123 lbs
• Fuel tank capacity (standard)	200 L	53 US Gal
• Fuel tank capacity (Optional equipment)	200 L	53 US Gal
• Fresh water capacity (standard)	530 L	140 US Gal
• Fresh water capacity (Optional equipment)	160 L	42 US Gal
• Engine power (CV/POD)	75 HP Sail Drive POD 90	75 HP Sail Drive POD 90

ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

CE CERTIFICATION

- Category A - 6 people
- Category B - 7 people
- Category C - 12 people

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	52,30 m ²	566 sq ft
• Genoa (103 %)	47 m ²	506 sq ft
• Asymmetrical spinnaker	120 m ²	1,292 sq ft
• I	17,02 m	55'10"
• J	5,49 m	18'
• P	16,62 m	54'6"
• E	5,70 m	18'8"

STANDARD EQUIPMENT

CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in balsa and glass fiber sandwich covered in "diamond point" type non-slip surface
- Deck hull joint bonded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Twin underhung rudders with stainless steel stock
- White colored hull - Grey metallic livery

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders - MDS roller slides
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging
- Backstay: Bridle
- Rigid boom vang
- Genoa furling system with drum on the deck
- 2 "STANDUP" blocks on mainsheet arch
- 2 Genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, Genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 Reefing lines, 1 Manual reef
- 12 Line stoppers, and other control lines
- 2 Line storage boxes

WINCHES

- 2 Self-tailing genoa sheet winches (H50.2 STC)
- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Winch handles SpeedGrip
- 2 Winch handle holders

SAILS

- Furling genoa with UV protective strip DACRON
- Full batten dacron mainsail DACRON
- Lazy Jack System and Lazy bag in Natural color

MOORING - ANCHORING GEAR

- Self-bailing chain locker with clench eye
- 1 Opening access cover to chain locker
- Stainless steel bow fitting 2 rollers - Stainless steel bobstay
- 12 V - 1500 W Vertical electric windlass - Remote control
- 6 Aluminum mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Fixed stainless steel pushpits
- Stainless steel backrests fitted to helm seats
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Ensign staff
- Double lifelines and stainless steel stanchions - Access to port and to starboard in lifelines
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

COCKPIT

- Self-bailing cockpit
- 1 Port cockpit locker (access to technical space)
- 1 Starboard cockpit locker (access to technical space)
- Gas locker beneath starboard cockpit seat
- Natural solid wood slatted cockpit benches
- 1 Liferaft locker in cockpit sole
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm / 2'11" diameter - Leather covered - Stainless steel handrail - Navigation instrument pod (optional instruments) - Glass holder - 2 Steering compass on consoles
- Deck plate for access to tiller system
- Transom protector for raising the tender
- 1 Emergency tiller
- Engine throttle and control panel to starboard
- Wooden cockpit table with leaf to starboard which can be transformed into sun-bathing area
- Cockpit lighting integrated in fixed arch
- 1 Glazed companionway hatch slides under the deck
- 1 4 Panel glazed salon door
- 2 Fixed deck windows

AFT TRANSOM

- Retractable transom to cockpit
- 2 Height-adjustable helmsman's seats
- Natural solid wood decking on swim platform
- 1 Stainless steel swimming ladder - Solid wood steps - folds into locker
- 1 Shower cold water
- 1 Shore power socket
- 2 Wet lockers on skirt

INTERIOR

- "Cherry stained" Apli joinery
- White ceruse oak laminate flooring
- Fore hull and bulkhead covered with vinyl fabric ceiling
- Fabric upholstery in the salon
- Marine mattresses in the cabins

COMPANIONWAY

Headroom: 1,97 m / 6'6"

- Wooden companionway with cold-molded 3 steps
- 2 Leather covered stainless steel handrails

SALON

Headroom: 1,90 m / 6'3"

- U-shaped salon bench
- Salon table in 1 piece, Varnished wood top with inlay, Aluminum legs.
- 1 Central unit with folding settee and sliding seat to get near the table - Storage - Bar
- Cubby hole lockers and storage along the hull, Storage under bench seats
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Fixed wrap-around window to cockpit
- 1 Flush deck hatch with shutter / Mosquito screen
- 1 Dorade

CHART TABLE

- Control console with flap - Glove boxes - Storage - Molded wood beading
- Navigator's seat with (15°) tilting cushion to compensate for heel
- Electrical panel
- Navigation instrument panel (without instruments)
- Battery switch panel + Breaker panel

GALLEY

Headroom: 1,90 m / 6'3"

- Lengthways galley counter
- Synthetic resin worktop in grey, Kerrok
- 1 Sink with 2 rectangular stainless steel bowls
- 1 Mixer tap cold water / hot water
- 1 Gas stove 2 burners, Stainless steel oven on gimbal mountings
- 1 130 L front opening fridge
- 1 Cool box 85 L top opening
- Cupboard units - Drawers - equipped lockers
- 1 Hull porthole with curtain
- 1 Fitted deckhouse side window
- 1 Fixed wrap-around window to cockpit

FORWARD CABIN

Headroom: 1,85 m / 6'1"

- Central double bed (2,00 x 0,98 m - 1,56 m / 6'7" x 3'3" - 5'1")
- 1 Hanging locker, Cupboard, Cubby hole lockers, Glove boxes - 3 Drawers
- Mirrors
- 2 Hull portholes with curtain
- 2 Opening deck hatches with blind / Mosquito screens
- 1 Dorade

STARBOARD FORWARD HEAD COMPARTMENT

Headroom: 1,86 m / 6'1"

Private entrance through forward cabin

- Separate molded shower, Shower mixer tap hot / Cold water, Shower screen
- Manual marine toilet
- Sink - Worktop - Mixing tap hot water / Cold water
- 1 Mirror
- Toilet accessories
- Cupboard and cubby hole
- 1 Flush deck hatch with shutter / Mosquito screens
- 1 Hull porthole with curtain

PORT CABIN

Headroom: 1,98 m / 6'6"

- Double bed (2,00 x 1,10 m - 1,48 m / 6'7" x 3'7" - 4'10")
- Hanging locker, Cupboard units, Lockers and cubby holes
- 1 Hull porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito screen

PORT WASHROOM

Headroom: 2,00 m / 6'7"

Private entrance through port cabin

- Shower, Shower mixer tap hot / Cold water, Shower screen
- Sink - Worktop - Mixing tap hot water / Cold water
- Mirror
- Toilet accessories
- Cupboard and cubby hole
- 1 Fixed window over galley - Blackout curtain
- 1 Fitted deckhouse side window with curtain
- 1 Opening deck hatch with shutter / Mosquito screen

DAY TOILET, STARBOARD

- Manual marine toilet
- 1 Rigid holding tank 80L (21 US Gal)
- 1 Fixed window over salon, Slatted blinds

ENGINE

- Engine Yanmar Diesel 75 hp / *HP* Sail Drive
- Engine control - Key start - Control panel in cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator 12 V / 125 Ah
- 1 Rotomoulded diesel tank (200 L / *53 US Gal* in the salon) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Fixed three blade propeller
- Engine access via companionway and machinery space (opening with gas piston)

ELECTRICITY

- 12 V Circuit - 115 V Circuit
- 2 Service batteries (2 x 115 Ah) - 1 Engine battery (110 Ah)
- 1 40 Ah Battery charger - 1 115V Shore power supply - 1 Load balancer
- Electrical panel (12 V / 115 V) (Circuit breakers - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning)
- 5 115 V Power outlets
- Interior lighting: Overhead lights LED, Reading lights
- Outside lighting: 1 Forward and aft navigation lights - 1 Engine navigation light / Deck light forward of mast - 1 Mooring light on masthead - 1 Deck light
- Wire runs for options cables

PLUMBING

- 2 Rotomolded freshwater tanks (160 L / *42 US Gal* Salon - 330 L / *87 US Gal* forward cabin) - Separate fillers - Tank selection with ¼ by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 40 L / *11 US Gal* Electric water heater (Operation off engine or on 115 V electrical system)
- 1 Rigid holding tank 80L / *21 US Gal* in Day toilet Starboard
- Electrical shower drain pumps, with automatic switch
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- Gas bottle box in the cockpit (1 or 2 bottles, according to model)
- Regulator and solenoid

TRIM LEVEL

	ESSENTIAL	EXCLUSIVE
<ul style="list-style-type: none"> Electronic - Helm consoles to port and starboard: <ul style="list-style-type: none"> - 1 T41 Graphic B&G display (Log, Speedometer, Depth sounder, Windvane anemometer) 4 Opening portholes in galley and salon windows Cockpit shower hot/cold water Hifi: Fusion + Interior speakers + Waterproof exterior speakers 2 Service batteries (2 x 115A, 12V) + 40 Amperes Additional battery charger LED interior lights 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■
<ul style="list-style-type: none"> Natural solid wood cockpit floor 1 Port electric coachroof winch (H46.2 STECH) Textile storage on 2 steering consoles Stainless steel beading for fenders in cockpit locker Panoramic window with pleated blinds Upgrade - Bose Acoustimass 3 speakers in salon Storage space(s) under the floor Galley: 12 V Freezer compartment in 2 L Top-opening icebox (Freezer) 12/110V inverter 2 kVA + Voltmeter 2 USB sockets at the chart table to recharge mobile devices LED: Outside lighting (except deck light) Indirect light (LED) 		<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

PACKS

ELECTRONIC B&G PACK

A Pack

- Helm consoles to port and starboard:
 - Multifunction touchscreen B&G Zeus 9" (GPS, Chart plotter, Chart reader - Cartography Navionics Silver included)
- Wifi interface

B Pack

- Chart table: Multifunction Zeus 9" screen

OTHER OPTIONS

NAVIGATION ELECTRONICS: B&G

- AC42 auto pilot + Control at steering station
- 4G Radar
- AIS 400 (Transmitter / Receiver)
- Chart table: Fixed B&G V50 VHF, integrated AIS receiver function
- Forward Scan Sensor (Forward underwater vision)

RIGGING - SAIL

- Anodised furling mast with Mylar Taffetas Mainsail and Genoa
- Asymmetrical spinnaker rigging + Code 0 Rigging
- Self-tacking jib hardware
- Hydranet sail for classic mast (instead of standard)
- Self-tacking jib
- Dacron Self-tacking staysail with manual furling + Fixed forestay
- Laminated Mylar Taffetas (code0) with furling drum
- Asymmetrical spinnaker
- Releasable fore-stay chain-plate
- Backstays with turnbuckles (Adjustable)*
- Genoa sheet track leads adjustable from the cockpit
- Flag halyards

* Except on mast with in-mast furling

WINCHES

- Electric genoa sheet winches (H50.2 STCEH)
- Starboard electric coachroof winch (H46.2 STCEH)

HULL - DECK - COCKPIT

- Blue-grey hull - Pearl white livery
- Pearl Grey hull - Matte black hull decoration
- Metallic hull paint
- Solid wood slatted side decks
- White PVC steering wheels and console covers
- Natta Stone / Quadri Grey external upholstery + Backrests at helm
- Bow thruster
- 3 folding blades propeller
- Stainless steel arch with davits
- White composite steering wheels
- Moorings lines, Anchoring gear, fenders
- Cockpit windlass control with chain counter
- Shore freshwater supply
- Windex Windvane

INTERIOR EQUIPMENT

- Upholstery: Fabric or Ultraleather
- Ivoire Complete carpet
- Grey upholstery padding in all cabins or Taupe
- Luxe saloon table on foot with manually adjustable height
- TV Pre-wiring + DVD and MP3 player in master cabin
- TV Pre-wiring + Player Fusion (Bluetooth, USB, DVD, MP3), in the salon
- Double berth in salon
- Slat mattresses
- Galley:
 - "Luxe" 3 burners hob, stainless steel oven and grill
 - 110 V Microwave oven
 - 110 V Dishwasher, 6 persons
 - Exhaust fan
 - Sea water/fresh water foot pump
 - Freshwater filter
- Safe
- Removable blind to companionway door
- Electric Vacu flush head
- Removable blind entrance door
- Extra water tank (160 L / 42 US Gal in the salon, Underfloor)
- Additional diesel tank (200 L / 53 US Gal in the technical area)
- 7.5 kVA 110 V/ 60 Hz Generator
- Water maker - 60 L/h (16 US Gal/hour) - 12/110 V
- Forced air heating
- Chilled water air-conditioning unit 220 V