



Version 2 cabins



Version 3 cabins

GENERAL SPECIFICATIONS

• Length overall	10,34 m	33'11"
• Hull length	9,99 m	32'9"
• L.W.L.	9,35 m	30'8"
• Hull Beam	3,65 m	12'
• Light displacement	5 620 kg	12,386 lbs
• Deep draft	1,82 m	6'
• Deep ballast weight	1 450 kg	3,196 lbs
• Shallow draft	1,37 m	4'6"
• Shallow ballast weight	1 610 kg	3,548 lbs
• Air draft	15,25 m	50'
• Freshwater capacity	315 L	83 US Gal
• Fuel tank capacity	130 L	34 US Gal
• Engine power	29 HP	29 HP

ARCHITECT / DESIGNERS

- Naval Architect: Finot - Cong And associs
- Interior design: Nauta Design

CE CERTIFICATION

	Keel - Deep draft keel (standard)	Keel - Shallow draft keel (optional)
Category A	6	-
Category B	7	7
Category C	8	8
Category D	10	10

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	30,00 m ²	323 sq ft
• Genoa (105 %)	32,00 m ²	344 sq ft
• Asymmetric spinnaker	68,30 m ²	735 sq ft
• I	12,88 m	42'3"
• J	4,18 m	13'9"
• P	12,10 m	39'8"
• E	3,90 m	12'10"

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull in polyester
- Monolithic structural hull liner laminated and bonded to the hull
- Deck in sandwich (glass fiber and balsa wood) - Diamond tip type non-slip surface
- Hull-deck joint screwed, bonded and trimmed with 1 PVC toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Hung rudder with stainless steel stock
- White colored hull - Grey metal hull decoration

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 anodized aluminum installed on the deck, 2 sets of spreaders
- Anodized aluminum boom
- Discontinuous stainless steel standing rigging (Forestay - Side shrouds - Backstay)
- 2 Backstays with turnbuckles
- 1 Standard fore stay
- 1 Rigid boom vang
- 1 Genoa furling system with drum on the deck
- 2 Mainsail sheet bolts
- 2 Genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift - foot tuning line)
- Complete running rigging: 1 Main halyard - 1 Genoa halyard with clutch on mast and cleat - 1 Boom topping lift with cleat on mast - 1 Mainsail foot - 1 Mainsail sheet - 2 Genoa sheets - 2 Reefing lines
- 5 Clutches, to port
- 3 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H40.2 STC)
- 1 Coach roof winch self tailing, on deck house port side (H35.2 STC)
- 2 Aluminum winch handles Speed grip
- 2 Winch handle holders

SAILS

- 1 Furling genoa with UV protective strip
- 1 Classical mainsail, written, half-battened with slider
- System: System Lazy Jack and Lazy bag in Natural color

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting
- Mechanically welded stainless steel roller
- 6 Aluminum mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- Stainless steel pulpit 2 sections
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Flag pole socket
- Double stainless steel lifelines, Stainless steel stanchions

COCKPIT

Self-bailing cockpit in polyester

- 1 Wet locker to port (Life raft storage, Gas box 2 bottles)
- 1 Starboard locker (Sail locker)
- 1 Locker next to tiller seat to starboard
- Natural solid wood slatted cockpit benches
- 1 Steering wheel console: Leather covered steering wheel (900 mm / 2'11" diameter) - 1 Rudder mechanism on column - 1 Metal cable transmission system - 1 Stainless steel handrail - Navigation instrument pod (optional instruments) - 1 Compass on console
- Engine control - Instrument panel to starboard
- 1 Deck plate for access to tiller system - 1 Emergency tiller
- Companionway hatch and door in PMMA

AFT TRANSOM

- Vertical opening access door assisted by gas piston stainless steel
- 1 Stainless steel swimming ladder
- 1 Cold water cockpit shower

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Hull side ceilings in cabins and salon
- Fabric upholstery

COMPANIONWAY

- Headroom: 1,88 m / 6'2"
- Companionway and steps in polyester
- 2 Stainless steel handrails (Version 2 aft cabin(s)) - 1 Stainless steel handrails (Version 1 aft cabin)
- 1 Fixed fixed skylight with curtain
- Perfection Ivory Cushions (Salon)

FORWARD CABIN

- Headroom: 1,77 m / 5'10"
- Central double bed (2,05 x 1,80 m - 0,35 m / 6'9" x 5'11" - 1'2") - 1 Marine mattress
- Double cupboard (Hanging locker - Shelving) - Cubby hole lockers - Storage
- 1 Opening hatch with curtain

SALON

- Headroom: 1,84 m / 6'
- U shaped salon bench to port, Double density foam
- 1 Starboard bench seat
- Salon table with wooden mounting
- Cubby hole lockers - Bar storage space - Storage space along the hull - Storage under bench seats
- 1 Port side window with curtain
- 2 Opening porthole in side window, portside
- 1 Starboard side window with curtain
- 2 Opening porthole in side window, Starboard (2 cabins version)
- 1 Opening porthole in side window, Starboard (3 cabins version)
- 2 Hull portholes with curtain
- 1 Opening deck hatch with curtain

GALLEY - PORTSIDE

- Headroom: 1,85 m / 6'1"
- L-shaped kitchen
- Synthetic solid surface countertop in Jenna "Sand"
- 2 Rectangular stainless steel sinks
- 1 Mixer tap cold water / hot water, under pressure
- 1 2 Burner gimbal stove - Stainless steel protection handrail
- 1 110 L front opening fridge - 12 V Refrigeration unit
- Cupboard - Fitted storage space and lockers
- 1 Garbage bin
- 1 Porthole opening onto coaming in side window

CHART TABLE - STARBOARD

- Facing companionway
- Chart table with hinged doors and glove boxes- Molded wood beading
- Hinged electrical panel enabling access to electrical connections
- 1 White light fitting / Red
- Storage cupboards and lockers with crockery rack
- 1 Opening porthole in side window

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,80 m / 5'11"
- Access through salon
- Washroom molded in one piece to be watertight
- Shower tray
- Worktop with washbasin
- 1 Mixer tap / Hot water shower / Cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80L / 21 US Gal
- 1 Mirror
- Toilet accessories
- Storage cupboard and lockers (1 in 3 cabin version - 2 in 2 cabin version)
- 1 Opening porthole with curtain
- 1 Opening porthole in side window (3 cabins version)
- 1 Opening porthole with curtain on the cockpit end wall (2 cabins version)

AFT CABINS

Version: 1 forward cabin - 2 Aft cabins - 1 Toilet

- Headroom: 1,90 m / 6'3"
- 2 Symmetrical aft cabins with larger access to port cabin including:
 - Headroom: 1,94 m / 6'4" approx.
 - Double bed (2,00 x 1,45 m - 1,00 m / 6'7" x 4'9" - 3'3") - Marine mattress
 - 1 Hanging locker
 - 1 Opening porthole with curtain
 - 1 Opening porthole with curtain on the cockpit end wall

Version: 1 forward cabin - 1 AFT cabin - 1 Toilet

- Headroom: 1,90 m / 6'3"
- 1 Double bed (1,80 m - 2,10 x 1,60 m / 5'11" - 6'11" x 5'3") - Marine mattress
- Bench seating - Bed access sideboard
- Hanging locker - Storage - Glove box
- 1 Opening porthole with curtain
- 1 Opening porthole with curtain on the cockpit end wall

ENGINE

- Engine Yanmar Diesel 29 hp / HP
- Engine control - fitted in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 air outlet
- 1 Alternator coupled to engine (80 Amperes)
- 1 Rotomoulded diesel tank 130 L / 34 US Gal (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blades propeller
- 1 Engine access through companionway (opening with 2 gas pistons)
- 2 Engine access through aft cabins (3 cabins version) or in the washroom and the aft cabin (2 cabins version)

ELECTRICITY

- 12 V Circuit
- 1 70 Amperes service battery - 1 70 Amperes engine battery
- 1 Charge divider
- 12 V Electrical panel (Fuses - Voltmeter - 1 Water gauge - 1 Fuel gauge - 1 Low battery charge warning - 1 Low diesel and water tank warning)
- 1 12 V Cigar lighter socket
- Lighting: Fittings blanks - Overhead lights: Halogen ceiling lights LED - 1 White/red light fitting
- Navigation lights: 1 Three-color lights on masthead - 1 Fire bicolor half-mast
- Wire runs for options cables

PLUMBING

- 2 Rotomolded freshwater tanks (130 L / 34 US Gal port aft cabin - 160 L / 42 US Gal/forward cabin) - 2 Stainless steel water deck fillers - Separate tank filling - Tank selection with 1/4 by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 1 25 L / 7 US Gal Electric water heater (engine run)
- 1 Rigid holding tank 80L / 21 US Gal
- Electric shower drain pump
- 1 Manual bilge pump - 1 Electric bilge pump
- 1 Electric dresser drain pump

GAS

- 2 Tank storage in cockpit sole
- Regulator and solonoid

TRIM LEVEL

	PLATINUM EDITION
UPHOLSTERY OPTIONS	
Ultrasuede cushions: Ivory, Graphite, Wheat, Indigo	<input type="checkbox"/>
Ultraleather cushions: Snow, Parchment, Linen, Coco	<input type="checkbox"/>
PACK OPTIONS	
Nav Pack L	
Nav trifunction B&G	<input type="checkbox"/>
Simrad VHF	<input type="checkbox"/>
Simrad VHF wireless	<input type="checkbox"/>
Nav Pack M	
Chartplotter Zeus 8 B&G	<input type="checkbox"/>
Cartography B&G	<input type="checkbox"/>
Wind system B&G	<input type="checkbox"/>
B&G wifi module	<input type="checkbox"/>
OTHER OPTIONS	
Genneker gear + Winch	<input type="checkbox"/>
Electric windlass	<input type="checkbox"/>
Microwave 110V	<input type="checkbox"/>
Autopilot B&G	<input type="checkbox"/>
Hull color window grey gel coat	<input type="checkbox"/>
Black deco kit	<input type="checkbox"/>
Galley counters in solid synthetic surface (Jenna, Sand)	<input type="checkbox"/>
Asymmetrical spinnaker with sock	<input type="checkbox"/>

OPTION PACK

	NAV PACK L	NAV PACK M
Nav trifunction B&G	<input type="checkbox"/>	
Simrad VHF	<input type="checkbox"/>	
Simrad VHF wireless	<input type="checkbox"/>	
Chartplotter Zeus 8 B&G		<input type="checkbox"/>
Cartography B&G		<input type="checkbox"/>
Wind system B&G		<input type="checkbox"/>
B&G wifi module		<input type="checkbox"/>

OTHER OPTIONS

<ul style="list-style-type: none"> • Genneker gear with Halyard+ 30cst winch • Classic mast • Classic mainsail w/ grey cover • Classic mainsail w/ blue cover • Electric windlass • Outboard engine bracket • Wood cockpit table Folding • Rub rail • Combination stove with 110V microwave oven • Microwave 110 V • Crusair air conditioning 16000 BTU 110V • Diesel heater "air pulse" - Webasto • Sail vac holding tank system aft stbd toilet • Electric toilet in place of manual • Waste tank drain/macerator pump • Inverter 12 V/110 V - prowatt 1800W • Folding prop 3 blades • Stereo satellite receiver 	<ul style="list-style-type: none"> • Weather/stereo satellite receiver- service contract necessary • Stereo sonic hub + spkr int/ext • Chartplotter Zeus 8 B&G • Wifi Module • Cartography Europe • Cartography Rest of world • Cartography US • Autopilot B&G • Nav trifunction B&G • Wind system B&G • Exterior hull striping: Blue, midnight blue, pure white, black, rich red, hunter green • Teak cockpit floor • Cradle for boat w/shoal keel • Cradle for boat w/ deep keel • Shrink wrap
--	---