

Antares 12 Fly

General Equipment list - North America

Twin-engine version












Three-engine version











GENERAL SPECIFICATIONS

• Hull length:	12,34 m	*40'6"*
• Overall Length (L.O.A):	12,97 m	*42'7"*
• Overall width:	3,78 m	*12'5"*
• Light displacement (with engine)		
- Twin-engine version:	8 814 kg	*19,426 lbs*
- Three-engine version:	9 111 kg	*20,081 lbs*
• Air draft		
- standard:	4,40 m	*14'5"*
- with options:	4,90 m	*16'1"*
• Maximum draft:	1,10 m	*3'10"*
• Fresh water capacity:	400 L	*106 US Gal*
• Fuel tank capacity:	2 x 587 L	*2 x155 US Gal*
• Maximum engine power:	900 HP	*900 HP*

ARCHITECTS / DESIGNERS

- Hull development: BENETEAU
- Designers: SARRAZIN DESIGN

EC CERTIFICATION

- Category B - 10 people
- Category C - 12 people

seanapps

CONNECT YOUR BOAT FREE YOUR MIND

07/30/2026 Code Beneteau M12935 (D) US - This general equipment list is intended for general informational purposes only. The information contained herein is subject to change without notice and does not constitute a contractual agreement. We reserve the right to modify, revise, or discontinue any product, service, or feature mentioned in this document without prior notice. Any descriptions, representations, or statements made in this document are not to be considered binding unless explicitly stated otherwise in a formal contractual agreement.

Antares 12 Fly

General Equipment list - North America

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:
- Sandwich (polyester resin - fiberglass - balsa core)
- White gel coat

DECK

Composition:
- Sandwich (polyester resin - fiberglass - balsa core)
- White gel coat
- Partial deck counter-mold
- Stainless steel guard rail on the hull-deck join
- Wheelhouse roof in white gel coat

DECK EQUIPMENT

- Navigation lights = 1 All-round light on stainless steel radar mast
- Navigation lights (Bicolor)

MOORING - ANCHORING GEAR

- Bow forestay chain plate
- Self-bailing mooring locker with 2 hood covers
- Eye bolt to secure mooring
- 2 stainless steel cleats forward 270 mm/*11''*
- 2 stainless steel cleats amidships 270 mm/*11''*
- 2 stainless steel cleats aft 270 mm/*11''*

SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- Asymmetric catwalks
  - Port width: Minimum 15 cm / *6''* - Maximum 20 cm / *8''*
  - Starboard width: Minimum 35 cm / *1'2''* - Maximum 40 cm / *1'4''*
- 2 Stainless steel handrails on wheelhouse hood
- 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat

COCKPIT

- Self-bailing cockpit
- 1 Hand rail on the aft starboard platform
- Fixed aft L-shaped bench seat with stowage
- Side bench seat with stowage locker
- 1 Large lockable central cockpit locker with gas piston assisted opening
- Lighting from 4 ceiling lights
- Aluminum fuel tanks (2 x 587 L/2 x *155 US Gal*) in sealed and ventilated compartment
- 2 Fuel filler caps on port and starboard freeboards
- Pull-down step between the 2 platforms
- Security door
- Telescopic swim ladder
- Cockpit shower
- Tilting side platform with electrical system
- Removable swimming ladder for side platform and side gate opening
- Aft lighting (x 2), in the hard-top
- Protective covers exterior upholstery (Flybridge & Aft cockpit)

DECK FORWARD

- Forward sun deck upholstery + Cover

FLYBRIDGE

- Access ladder with stainless steel uprights and solid wood steps
- Polyester trap door
- Protective rails around the access area

Steering station

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- USB socket
- Mercury engine control
- Ajustable driver's seat, matching the exterior upholstery
- Co-pilot seat, seat back converts into sun deck
- Steering wheel
- Grey tinted PMMA wind screen
- Mercury electrical steering
- 4 Cup holders

5 person salon

- Walnut table with handrails and cup holders - Fixed stainless steel leg
- Storage under seating
- U-shaped salon wrapping around the aft and port sides
- Hand rail

- Provision for bimini (optional extra)
- Location for radar (optional extra)

Antares 12 Fly

General Equipment list - North America

INTERIOR

- Salon upholstery matching the exterior upholstery
- Starboard cabin upholstery: Cushy Limestone
- Knitted owner and VIP cabin mattress
- Woodwork Alpi Noyer
- Brown oak laminated floors

WHEELHOUSE

Headroom: 2,00 m / *6'7"*

- Wheelhouse with windscreen with central translucent glass column
- Side windows with translucent glass
- 3 panel aft bay window in translucent glass
- Black anodized aluminum frame and lock
- 2 Electric windscreen wipers
- Direct and indirect LED lighting

STEERING STATION (TO STARBOARD)

Headroom: 1,93 m / *6'4"*

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- USB socket
- Mercury engine control
- Anthracite grey driver's bench seat, Adjustable Bolster function
- Leather-covered steering wheel
- Brown oak foot rests
- Mercury electrical steering
- Guard rail
- Cup holders
- Sliding starboard side door
- Windlass control and chain meter at steering station
- Lenco electric trim tabs with dual controls (wheelhouse & Flybridge)
- Electric defroster

GALLEY (TO STARBOARD)

- Light grey laminate galley worktop
- Storage drawer with lacquered titanium door
- Storage cupboard with lacquered titanium doors
- Upper stowage with lacquered titanium doors
- Stainless steel sink
- Cold water mixer tap under pressure
- Fixed 2 ring gas cooker
- 144 L 2 drawer stainless steel fridge
- Double trash can
- 2 Cup holders

SALON

Headroom: 1,96 m / *6'5"*

- U-shaped salon - Convertible salon convertible into berth option (walnut table and electric pedestal replacing the standard table + cushions)
- Copilot seat with swivelling seat back (navigation / salon positions)
- Aft salon seating with adjustable seat back (salon/cockpit positions)
- Battery isolation switch under salon seating
- Storage, in front of co-driver seat
- Co-pilot hand rail

COMPANIONWAY

- Full-height mirror with lacquered titanium frame

OWNER'S CABIN

Headroom: 1,90 m / *6'3"*

Central double berth (Padded bed headboard):

- Length (max): 1,98 m / *6'6"*
- Beam (max): 1,50 m / *4'11"*

- Padded ceilings
- Storage lockers, Under the bed
- Opening deck hatch, in the cabin
- 1 Cupboard with hanging space
- 1 Storage cupboard
- 2 Storage cubbyhole
- 2 Port and starboard upper stowage units with lacquered titanium door
- Lighting:
  - 2 Overhead lights
  - 2 Reading lights
  - Direct and indirect LED lighting
- Fixed forward window with blackout curtain
- Side windows with Venetian blinds
- Ventilation provided by 2 opening portholes with mosquito nets
- 2 USB sockets
- 2 110V Sockets
- 24'' TV pre-fittings (110 V), in the forward cabin
- Direct access door to the head

VIP CABIN

Headroom: 1,9 m / *6'3"*

Berth headroom: 1,2 m / *3'11"*

- 2 Single beds convertible into double beds (Padded bed headboard):
  - Length (max): 2 m / *6'7"*
  - Beam (max): 1,60 m / *5'3"*
- 1 Cupboard with hanging space
- Storage shelving in the bulkhead
- Lighting:
  - 2 Overhead lights
  - 2 Reading lights
  - Direct and indirect LED lighting
- Side glazing
- Ventilation provided by an opening porthole with mosquito net
- Blackout curtains
- USB socket
- 110 V Power outlet
- Direct access door to the head

STARBOARD CABIN

Headroom: 1,9 m / *6'3"*

Berth headroom: 1 m / *3'3"*

- Single bed convertible into double bed (Padded bed headboard)
- 1 Cupboard with hanging space
- Storage lockers
- Lighting:
  - 2 Overhead lights
  - 1 Reading light
  - LED indirect lighting
- Side glazing
- Ventilation provided by an opening porthole with mosquito net
- Blackout curtains

Antares 12 Fly

General Equipment list - North America

OWNER'S HEAD COMPARTMENT

Headroom: 1,9 m / *6'3"*

- Lighting from 3 ceiling lights
- LED indirect lighting
- Sink with mixer tap
- Mirror
- 2 High storage
- 1 Storage furniture with toilet paper holder
- Towel rail
- Ventilation provided by 2 opening portholes with mosquito nets
- Venetian blinds
- Shower separated by translucent door
- Electric toilets

2ND HEAD

Headroom: 1,9 m / *6'3"*

- Lighting from 3 ceiling lights
- LED indirect lighting
- Sink with mixer tap
- 2 Upper stowage with mirror
- 1 Storage furniture with toilet paper holder
- Towel rail
- Side window
- Ventilation provided by 2 opening portholes with mosquito nets
- Venetian blinds
- Shower separated by translucent door
- Electric toilets

ELECTRICITY

- 12 V Electrical panel
- USB socket in each cabin
- 3 Bilge pumps: 1 manual - 2 electric
- Battery isolation switch under salon seating
- Fischer Panda diesel generator (9 KVA - 110 V - 60 Hz)
- Reversible air condition at dock (110 V - 60 Hz) - 16 000 BTU in wheelhouse, 8 000 BTU in forward cabin, 12 000 BTU in aft cabins and head
- Pre-fitting for services and engine battery (batteries not delivered)

PLUMBING

- 400 L / *106 US Gal* Rigid water tank
- Water pump for pressure building
- 40 L water heater
- Direct fresh water intake from the shore

SMART BOARD

"SEANAPPS" connected technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seanapps

CONNECT YOUR BOAT FREE YOUR MIND

Antares 12 Fly

General Equipment list - North America

ENGINE

- MERCURY 3 x 300 HP V8 COLD WHITE + JOYSTICK
- MERCURY 2 x 425 HP V10 COLD WHITE + JOYSTICK

PACKS

ELECTRONICS PACKS

ELECTRONIC PACK

- Multifunction Garmin 12" GPSMAP 1223 xsv screen (chart not included) in wheelhouse
- Multifunction Garmin 12" GPSMAP 1223 xsv screen (chart not included) on flybridge
- Garmin GT23-TH Sensor
- Garmin 315i VHF (1W / 25W)
- AIS 800 Garmin (Transmitter / receiver)

ELECTRONIC - UPGRADED PACK

- 2 Multifunction Garmin 12" GPSMAP 1223 screens(1 1223 xsv screen + 1 1223 screen) in wheelhouse (chart not included)
- Multifunction Garmin 12" GPSMAP 1223 xsv screen on flybridge
- Garmin GT23-TH Sensor
- Garmin 315i VHF (1W / 25W)
- AIS 800 Garmin (Transmitter / receiver)

SOUND PACK

- Fusion MS-RA210
- 6 Speakers:
  - 2 Interior speakers
  - 2 Exterior speakers (Aft cockpit)
  - 2 Flybridge speakers

SOUND UPGRADED PACK

- Fusion MS-RA670
- 8 Speakers + Amplifier:
  - 2 Premium internal speakers
  - 2 Premium external speakers (Aft cockpit + Subwoofer)
  - 2 Premium external speakers (Forward sun deck)
  - 2 Premium speakers on the flybridge

US PACK

- Deck searchlight
- Forward Sunworker black sundeck sunshade
- Flying bridge bimini top
- Outside kitchen on the flybridge (Polyester furniture + 42 L refrigerator + Electric grill)
- Underwater lights (x 2)

Antares 12 Fly

General Equipment list - North America

OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- Combined 110 microwave oven and grill
- 110 V ceramic hob (replacing gas stove)
- Additional fridge (80 L), in the 3rd cabin
- Diesel heater "air pulse"
- Electric defroster
- TV antenna
- Additional berth with electric pedestal, in the salon
- Dedicated storage cupboard + Villeroy & Boch 6 person kit (glasses + plates)
- Infinity Luxe cream carpet, in wheelhouse
- Savage abundance 39 carpet, in cabins + Steps
- Mosquito nets for opening portholes

EXTERIOR OPTIONS

- Complete mooring/anchoring kit
- Graphite cockpit side and rear enclosure
- Infinity Luxe Cream cockpit carpet
- Infinity Luxe Cream flybridge carpet
- Forward sun deck upholstery with reclining backrest + cover
- Forward Sunworker black sundeck sunshade
- Teak cockpit, aft platforms, forward deck and starboard side deck
- Cockpit table with 2 telescopic solid wood legs, can be converted into sun deck + cover
- Removable polyester cockpit table
- Flying bridge bimini top
- Outside kitchen on the flybridge (Polyester furniture + 42 L refrigerator + Electric grill + Cover)
- Hydraulic gangway
- Sunworker black exterior window curtains (Side glazing + Windscreen)
- Signal Grey hull (RAL 7004)

ELECTRICAL SYSTEM

- 2 000 W inverter
- Deck searchlight
- Underwater lights (x2)

WATER SYSTEM

- Deck and sea drainage grey water tank (200 L / *53 US Gal*)
- Deck only drainage grey water tank (200 L / *53 US Gal*)
- Sea water rinsing pump, in the anchor well

ENGINE

- Zipwake automatic trim system
- Bow thruster with dual controls (Flybridge & wheelhouse)
- Proportional bow thruster with dual controls (Flybridge & wheelhouse) for Mercury engine
- Seakeeper SK3 gyroscopic stabilizer

NAVIGATION ELECTRONICS

- Garmin Fantom 18x Radar
- Garmin aft camera